

Message

From: Gaige, Elizabeth [Gaige.Elizabeth@epa.gov]
Sent: 9/30/2020 3:08:30 PM
To: Wagner, Christine [Wagner.Christine@epa.gov]
CC: [Nonresponsive based on revised scope]
[Nonresponsive based on revised scope] Ghimire, Aneesh [ghimire.aneesh@epa.gov]
Subject: RE: review memos for Shiloh Church docs 200195 and 200196

Good morning Christine – We will log these documents into our database and review them again. If all our previous comments have been sufficiently addressed, you will get an approval memo from us. Thanks, Elizabeth

From: Wagner, Christine <Wagner.Christine@epa.gov>
Sent: Wednesday, September 30, 2020 11:05 AM
To: Gaige, Elizabeth <Gaige.Elizabeth@epa.gov>
Cc: [Nonresponsive based on revised scope]
[Nonresponsive based on revised scope] Ghimire, Aneesh <ghimire.aneesh@epa.gov>; R3_QA <R3_QA@epa.gov>
Subject: RE: review memos for Shiloh Church docs 200195 and 200196

Good Morning Elizabeth,

Thank you for the expedited review of these documents. Attached please find the revisions to the documents which incorporate the recommended changes. We have submitted the ARF forms to Fort Meade and intend to perform sampling the week of 10/12/20. Please advise on next steps.

Thank you
Chris

*Christine Wagner
Federal On-Scene Coordinator
EPA Region III
804-337-3049*

From: Gaige, Elizabeth <Gaige.Elizabeth@epa.gov>
Sent: Wednesday, September 23, 2020 12:39 PM
To: Wagner, Christine <Wagner.Christine@epa.gov>
Cc: Long, Kia <Long.Kia@epa.gov>; Ghimire, Aneesh <ghimire.aneesh@epa.gov>; Forren, John <Forren.John@epa.gov>; Caporale, Cynthia <Caporale.Cynthia@epa.gov>
Subject: review memos for Shiloh Church docs 200195 and 200196

Hello Chris -

Attached are review letters for QA # 200195 and QA # 200196.

We will consider this review closed.

Thank you for the opportunity to review this Quality Assurance Project Plan and Field Sampling Plan.

Please contact me if you have any questions or concerns. Elizabeth

Elizabeth Gaige,
physical scientist
Applied Science and Quality Assurance Branch
Laboratory Services and Applied Sciences Division
EPA Region 3, Philadelphia
215.814.5676
gaige.elizabeth@epa.gov

From: Wagner, Christine <Wagner.Christine@epa.gov>
Sent: Monday, September 21, 2020 2:34 PM
To: R3_QA <R3_QA@epa.gov>
Cc: Long, Kia <Long.Kia@epa.gov>; Burns, Francis <Burns.Fran@epa.gov>
Subject: Shiloh Church Road Site - New request for review of FSP/QAPP

Good Afternoon,

Attached please find the QA Document Review Form and corresponding Field Sampling Plan and SSQAPP for the Shiloh Church Road Site. As the OSC for this Site, I am requesting expedited review because the previous two rounds of quarterly drinking water sampling was postponed because of COVID-19 restrictions. EPA needs to sample as soon as possible to ensure the mitigation measures are working properly. **AIR MONITORING AND FIELD SAMPLING PLAN SHILOH CHURCH ROAD REMOVAL NATHALIE, HALIFAX COUNTY, VIRGINIA**

By this message, I am also requesting my supervisor, Fran Burns, authorize the request for expediated review.

If you have any questions, please contact me at 804-337-3049.

Thank you
Chris

*Christine Wagner
Federal On-Scene Coordinator
EPA Region III
804-337-3049*